



कार्यालय सिविल सर्जन सह मुख्य अस्पताल अधीक्षक जिला चिकित्सालय
जिला बीजापुर (छ.ग.)



क्रमांक / 152 / सि.स.मु.अ.अ / अ.स. / 2016

बीजापुर दिनांक 23 / 9 / 2016

शुद्धी पत्रक सूचना

निविदा क्रमांक 132 दिनांक 27 / 08 / 2016 में निम्न शुद्धी की जाती है।

1. निविदाकर्ता अमानत राशि को DD या FDR/BG के माध्यम से जमा कर सकते है।
2. निविदाकर्ता फर्म को तीन वर्ष 2013-14, 2014-15 एवं 2015-16 का टर्न ओवर देना होगा।
3. आपाताकालीन की स्थिति में आक्सीजन प्लांट में सिलेडर रिफिल की व्यवस्था हेतु 23 आक्सीजन सिलेडर (क्षमता 40 kg) का प्रदाय करना होगा।
4. नवीन उपकरणों की सूची जो निविदा में निहित है। जो कि निविदा के साथ जमा होगी।
5. निविदा खुलने कि तिथी 27 / 09 / 2016 समय शाम 4.00 बजे।

निविदा से सम्बन्धित विस्तृत जानकारी www.bijapur.gov.in पर उपलब्ध है।

सिविल सर्जन सह मुख्य अस्पताल अधीक्षक
जिला चिकित्सालय बीजापुर (छ.ग.)

“ प्रयत्न - सः ”

S.No	Particular	Qty.	Rate/iteam
1	C- Arm machine 9", Hf with 2 manitor 17", USB memory system along with cvt and alla standard accessories	01	
2	Orthopedic instruments set t for upper limb ,Nailing set , Plating set , and interlocking set	01 set	
3	Orthopedic instruments set t for Lower limb ,Nailing set , Plating set , and interlocking set	01 set	
4	Drill Machine with Electric Operated With Saw set, Remer All size, and all standard Accessories	01 set	
5	DHS Set for Orthopaedic Hip Set	01 set	
6	H D Camera with Coupler and all Standard accessories . Compatable for Laproscopy Sergery Ortho Surgery	01 set	
7	Medical Grad H D Monitor 24" with HD 1080X1988 Resolution For Above Camera Systems	01 set	
8	Telescope — 10 mm 30 degree <input type="checkbox"/> Wide angled with detachable eye piece. <input type="checkbox"/> Autoclavable. <input type="checkbox"/> Three type of Adopters for fiber optic cable.	01 set	
9	Laparoscopy Hand Instruments Set 1. Veress Needle spring loaded Small (120 mm)--- 01 2. Sheath / Cannula, size-11 mm with automatic flap valve & also with manual control. Autoclavable, Dismentable in four parts.- 02 nos. 3. Sheath / Cannula, size-5.5 mm with automatic flap valve & also with manual control. Autoclavable, Dismentable in four parts.—04 nos	01 set	

- | | | |
|--|--|--|
| <p>4. Stainless steel Trocar, size 11mm with pyramidal tip—02 Nos.</p> <p>5. Stainless steel Trocar, size 5.5mm, with pyramidal tip- 02 Nos</p> <p>6. Reducer sleeve with silicon latch (Conversion of 11 mm to 5.5 mm.)—02 Nos</p> <p>7. Maxigrip grasping forceps size-5mm, Insulated, autoclavable rotatable, dismantable, Double action jaws with HF connection.—1 Nos</p> <p>8. Dissecting forceps —Curved “Maryland” size-5mm, Insulated, autoclavable rotatable, dismantable, double action jaws with HF connection—01 Nos</p> <p>9. Fenestrated grasper size-5mm, insulated, autoclavable rotatable, dismantable, double action jaws with HF connection- 1 Nos</p> <p>10. Metzenbaum__ Curved scissor size-5mm,insulated, autoclavable rotatable,dismantable, double action jaws with HF connection. - 1 Nos</p> <p>11. Claw forcep, 2x3 teeth single action jaws, non-rotatable. - 1 Nos</p> <p>12. Unipolar connection cable== -02 Nos</p> <p>13. Suction - Irrigation canula Thumb Control type, size 5 mm.- 1 Nos</p> <p>14. Clip applicator (For Medium &large CLips) rotatable with flushing channel, size 10 mm—1 NOS</p> | | |
|--|--|--|

	<p>Bipolar Forceps insulated, autoclavable rotatable, dismentable, double action jaws with HF connection Indian – 1 NOs</p> <p>15. Hook and Specula Electrode, 5mm - 1 Each</p> <p>16. Aspiration Needle - 1 Nios</p> <p>17. Needle Holder For Lap Lef/Right -1 Each</p> <p>18. Hasan Trochar Set --- 01 Nos</p>		
10	<p>Stainless Steel Door with Their Partison</p> <p>Steel door will be double door with glass window 300X300 with lock ,handle 4 nos , latch and door closer with Stainless steel Frame 100mm</p> <p>Door Size-1500X2100 mm – 10 nos</p> <p>Door Size-1500X2000 mm – 1 nos</p>	11	
11	<p>Stainless Steel Door with Their Partison</p> <p>Steel door will be double door with glass window 300X300 with lock ,handle 4 nos , latch and door closer with Stainless steel Frame 100mm</p> <p>Door Size-1800X2100 mm</p>	03	
12	<p>Venial Flooring with Conductive Antistatic, homogenous, anti bacteria</p> <p>With 2 mm thikness with warranty for 5 years</p> <p>With installation joint less finish</p>	3000 sqft	
		Total Amount	